# **Table of Contents**

Introduction	1.1
Usage	1.2
Blueprints	1.2.1
Delegates	1.2.1.1
Variables	1.2.1.2
Срр	1.2.2
Delegates	1.2.2.1
Variables	1.2.2.2
Debugging	1.3
Installation	1.4
Quick Start	1.5

# **Actions Extension**

Actions Extension is a plugin that adds blueprintable async tasks called actions. It can be used for a lot of things but some examples are AI or API Rest.

If you like our plugins, consider becoming a Patron. It will go a long way in helping me create more awesome tech!



### What is an Action?



Actions are quite similar to async task nodes (*like Delays or AlMoves*) in their concept, but have some extra features that make them widely useful.

An Action is a blueprint (or c++ class) that executes inside another object to encapsulate logic.

### Where can I use an Action?

Any object with world context can have an action and its usage goes from AI behaviors to API Rest calls.

We have tried both options extensively and the results are a lot more simple than normal code. You get better parallel programming, quality of code. At the end it just becomes easier to deal with complex logic.

This system is also heavily focused on the usage of Actions inside Actions, creating a **tree of dependencies**. This is specially useful for **AI**.

## **Quick Start**

Check Quick Start to see how to setup and configure the plugin.

# **Usage in Blueprints**

### **Call an Action**

To execute an action we have to use the Action node.

You can find it by right clicking on a graph and searching for "Action":



Then we have to assign the action class we want to use.

C Event BeginPlay	No Action		
	•	D	
	Owner self	Return Value 🔿	
	● Class Select Class ♥	+p	
	Search		ρ
	O None		
	O Action	n	
	O Simpl	eAction	
	3 items		Ontions

After this, all its variables and delegates will show up for you to use and the action is ready to execute.

## **Create an Action**

To create an action, we have to go to content browser -> right click -> Blueprint Class



Then we select "Action" class or one of Action's children

▲ All Classes	
Search	ρ
▲ Object	
O AbcImportSettings	
▷ O Action	
Þ 🍚 Actor	
🖻 🚱 ActorComponent	T
▷O AlSense	
▷ 🔿 AlSenseConfig	
🔛 AnimationModifier	
📰 AnimationSharingSetup	
O AnimationSharingStateProcessor	
O AnimMetaData	
D 🔿 AnimNotify	
- N Anim Matifultata	Niew Ontions -
533 items (2 selected)	
	Select Cancel

#### Then we open the blueprint we created.

All actions have 3 main events:

- Activate: When it gets created
- Tick: When it ticks, if it is enabled. TickRate is applied.
- Finish: When the action finished and why (Success, Fail or Cancel)

Make sure your actions call **Succeed** or **Fail**. Otherwise the action will run until its owner is destroyed or the game closes.

#### **Exposing Delegates**

#### Actions can expose Event Dispatchers to action calls.

- If the event dispatcher has any parameter, it will show up as an event pin
- If it has no parameters, an execution pin will show up

So as an example, if we have the following two events:

- SimpleEvent with no parameters
- EventWithParameter with a boolean



Our Action will look like this:

	Simple Action	
	D	D
	Owner self	Return Value 🔿
	Olass Simple Action▼ (♠ )	Simple D
	Speed 2.0	
MyEvent Custom Event	- 🛑 With Parameter Event	
D		
Result 🔿		

If an event doesn't appear on an action node, right click -> Refresh Node to refresh it

# **Exposing Variables**

Most of the times, when we have an action, we want to feed it with variables to customize its behavior, and as you will see, it's very easy to do so.

First open your Action blueprint and add a new variable of any type



Mark the variable as Editable

<b>⊿</b> Variables	1	+
😑 Speed	ł	2
		~

Finally, check "Expose on Spawn" as true

🔍 Details 🛛 🛛 🕹	
Search Details	👁 🛄 🛇 -
▲ Variable	
Variable Name	Speed
Variable Type	-Float -
Instance Editable	
Blueprint Read Only	
Tooltip	
Expose on Spawn	R
Private	
Expose to Cinematics	
Category	Default
Slider Range	
Value Range	
Replication	None
Replication Condition	None
	₹
▲ Default Value	
Speed	2.0

This variable will now show up on all action nodes.

If a variable doesn't appear on an action node, right click -> Refresh Node to refresh it

### Usage in C++

All functions are well commented on code. Feel free to give them a look for detailed information.

### **Call an Action**

There are multiple ways of creating an action, here are some:

```
// Templated version
UAction* MyActionA = UAction::Create<UMyAction>(this, true);
// Class version
UAction* MyActionB = UAction::Create(this, UMyAction::StaticClass(), true);
```

By default actions will auto activate, but if we want to do some kind of setup, we can leave activation for later:

```
UMyAction* MyActionC = UAction::Create<UMyAction>(this, false);
MyActionC->bMyBool = true;
MyActionC->Activate();
```

Note that Actions require an owner with access to world. Otherwise, activation will fail.

### **Create an Action**

You can simply create a child class of UAction (or any other action class).

```
UCLASS()
class UMyAction : public UAction
{
    GENERATED_BODY()
public:
    bool bMyBool = false;
    // Optional
    virtual void OnActivation() override;
    // Optional
    virtual void OnFinish(const EActionState Reason) override;
    // Optional
    virtual void Tick(float DeltaTime) override;
};
```

Make sure your actions call **Succeed** or **Fail**. Otherwise the action will run until its owner is destroyed or the game closes.

#### **Exposing Delegates**

#### Actions can expose Multicast delegates to action calls.

- If the delegate has any parameter, it will show up as an event pin
- If it has no parameters, an execution pin will show up

So as an example, if we have the following two events:

- NoParameter with no parameters
- WithParameter with a boolean

We first have to declare our delegates

DECLARE DYNAMIC MULTICAST DELEGATE(FNoParamDelegate); DECLARE DYNAMIC MULTICAST DELEGATE OneParam(FWithParamDelegate, bool, bResult);

Then we add their variables as BlueprintAssignable, and that's it.



Ignore those errors, it's just Intellisense doing its usual magic. Everything is fine, I promise

# **Exposing Variables**

Most of the times, when we have an action, we want to feed it with variables to customize its behavior, and as you will see, it's very easy to do so.

Member variables marked as **BlueprintReadWrite** and with metadata **ExposeOnSpawn="true"** will show on Blueprint Action nodes.

```
UPROPERTY(BlueprintReadWrite, meta = (ExposeOnSpawn = "true"), EditAnywhere,
bool bMyBool = false;
```

With C++ in particular, any public variable can be edited as usual before Activation.

# Debugging

## **Gameplay Debugger**

Actions can be debugged in-game with gameplay debugger.

Actions will display for the focused actor, its controller and the current player controller (the first local player). It is displayed as a tree of sub-actions.



## **Blueprint Debugger**

Like any other normal Blueprint, blueprint debugging is supported such as instance selection or visualization of graphs.

# Installation

## Manually

This are the general steps for installing the plugin into your project:

**1.** Download the last release from here Make sure you download the same version that your project uses

- 2. Extract the folder "ActionsExtension" into the Plugins folder of your existing project (e.g "MyProject/Plugins")
- 2. Done! You can now open the project

### **From Marketplace**

Install from the launcher: AVAILABLE HERE

# **Quick Start**

Quick Start will show the basic steps to follow to setup the plugin and start using it at a base level.

# Setting Up the Project

We can start by creating an empty project (How to create UE4 projects) or instead using your own. Then installing the plugin from marketplace or inside Plugins folder (See Installation).

If everything went right, we should see the plugin enabled under Edit->Plugins->Piperift



Actions Extension doesn't require anything else to work.

## **Creating The action**

Lets start by creating a very simple action.

First we go to the content browser, right click, Blueprint Class



Then we select Action class (or any other child class of Action)

▲ All Classes	
Search	ρ
✓Object	
O AbcImportSettings	
▷ O Action	
Þ 🍚 Actor	
🖻 🧐 ActorComponent	T
▷ 🔿 AlSense	
▷ 🔿 AlSenseConfig	
🔛 AnimationModifier	
📰 AnimationSharingSetup	
O AnimationSharingStateProcessor	
O AnimMetaData	
▷ 🔿 AnimNotify	
- N Animalatifurtata	• View Ontions -
533 items (2 selected)	
	Select Cancel

Then we **open the blueprint** we created and add the following functions on Activate. This will be called when the action starts its execution, then wait 1 second, and finish.

Event Activate	f Delay	f Print String	<b>f</b> Succeed Target is Action
	→ Completed → · → Duration 1.0	In String [1am done!]	→ Target Self
		Development Only	

Make sure your actions call **Succeed** or **Fail**. Otherwise the action will run until its owner is destroyed or the game closes.

## **Calling The action**

Now that we have our action ready, we have to execute it. For that we will go to our level blueprint.



Then from our BeginPlay we add the node "Action"

All Actions for this Blueprint	🖌 Context Sensitive 🕨
Action	×
Actions	
Actice	1.1
▲ Add Composition ▲ Factions	

Finally, we assign the action we created previously to the class pin

🛇 Event BeginPlay 🔳	No Action		
	•	D	
	Owner self	Return Value 📀	
	● Class Select Class ♥ (		
	Search		Q
	O None		
	O Action	n	
	O Simpl	eAction	
	3 items	Simple Action	/ Options 🗸

### The Result

After all the previous steps we will see that the message prints exactly 1 second after we hit play.

